

Infrastructure Model Volunteered Geographic Information Social Assistance Program To Support eGovernment Case Study of Central Aceh District

Hendri Syahputra*, Alfitra

Department of Informatics, Faculty of Engineering, Universitas Gajah Putih, Aceh, Indonesia

*Corresponding author E-mail: andreseptian905@gmail.com

Manuscript received 15 April 2022; revised 1 May 2022; accepted 15 June 2022. Date of publication 25 July 2022

Abstract

The government's role in providing social assistance to reduce poverty has been going very well. However, in practice, there are obstacles to collecting and verifying data on prospective beneficiaries, so fast, precise, and accurate information is needed through the participation of the Community or Community to provide information regarding potential beneficiaries—social assistance. This study's goal is to create and develop a model of the Volunteered Geographic Information (VGI) system involving the participation of the Community to determine the effectiveness of the distribution of social assistance by the government and to support the role of a transparent government or good government. This research method is descriptive research with quantitative and qualitative descriptive approaches. This system also refers to the design, development, and stages of the VGI system process suitable for a crowd or community-based approach. The expected result is a VGI-based geographic information system: First: Collect and observe data on social assistance recipients in Aceh Tengah district, Aceh Province. Second: Designing and implementing a VGI-based geographic information system. Third: System testing through two stages: system functional and non-functional testing. The final results of this research are a web-based VGI Social Assistance system model and, for volunteers, the Android-based VGI Social Assistance application.

Keywords: Geographic Information System, Volunteered Geographic Information, Social Assistance.

1. Introduction

To shield people from possible social risks, *social assistance* is defined as the non-continuous and selected provision of aid by the local government to individuals, families, groups, or communities [1]. The population of Aceh Province, particularly in Central Aceh, is 5,274,871 people, with up to 492,227 population in both urban and rural areas, based on Information from the Central Bureau of Statistics of Aceh Province. The number of poor people (those whose annual per capita income is below the poverty line) in Central Aceh Regency reached 32.31 thousand in 2018 (15.58 percent) and increased to 32.78 thousand in 2019. (15.5 percent).




Fig 1. A graph depicting Central Aceh District's poverty rates (Source BPS Aceh Tengah 2020)



In 2020, there were 6,738 Beneficiary Families of the Family Hope Program (PKH) participants and 6,211 Cash Social Assistance (BST) recipients. This brought the total number of PKH and BST recipients to 12,949 families or around 39,868 percent of the actual poor in Central Aceh.

Social jealousy in society is caused by indications of misuse and mismanagement of social assistance, so the Community's role is essential in supporting government transparency in terms of the management of social aid [2],[3],[4],[5],[21],[22].

Therefore, a community-based system model is needed that can contribute comparative information to the government in evaluating government policies on the distribution of social assistance that has been running [4],[6],[7],[23],[24].

The comparison information is in the form of pictures of houses and other parameters that become a reference for beneficiaries. To support this, a system is needed to manage spatial-based information and the role of the Community. In other terms, Volunteered Geographic Information (VGI) [5],[6],[7],[8],[9],[10] by utilizing spatial data to design an open and accountable Geographic Information System to minimize misuse of social assistance distribution.

The purpose of this research is to support and assist the government in creating a transparent government or green government through the contribution of the Community or Community in providing information and assessment of the distribution of assistance that has been distributed based on Volunteered Geographic Information (VGI).

2. Literature Review

Research needs to have a concept in formulating literature that supports an examination and an explanation as a theoretical basis for research. This study's state of the art is to analyze existing analyses but has a method concept that is in line and almost the same as the current research. Through a review of state of the art in research, it is possible to see the extent of the differences between each study so that each study can have an original theme.

There is still little study of the Volunteered Geographic Information (VGI) infrastructure model for social assistance programs in research and development. The related literature studies are as follows:

- Geographic Information System Support for Social Assistance Data Collection.
- The Role of Volunteered Geographic Information (VGI) Systems in Disaster Risk Reduction
- Geographic Information System Mapping Communities Recipients of Social Assistance Targeted at Sulangai Village Based on Web.
- Volunteered in Geographic Information System Design.
- Volunteered Geographic Information (VGI) for Land Administration
- Spatial Data Infrastructure Model to Support E-Government based on Geographic Information Systems.




Fig 2. State of The Art Research Chart

Geographic information system maps/maps provide information on the distribution of social assistance in various regions and the distribution of community reporting by utilizing the multi-marker on the map to give information to users/users. It is possible to use the system's development from this study for distributing social assistance data in the Community. It can also be used to mark the coordinates of the location of community reporting. Moreover, the advantage of the GIS application for Social Assistance Data Collection is that maps do not need to be made first because they already take data. Maps are from the LeafletJS library, so the maps need to be implemented, and maps are obtained for free because the library is open source [2].

In the previous implementation of VGI utilization, VGI information resulted from community participation and volunteering to provide information about a phenomenon in their environment quickly and in real-time. This, of course, can provide input for decision-makers in moving to take concrete steps related to disaster risk reduction. Compared to the traditional way, you have to wait for formal data issued by the relevant institution. However, the need for a study of additional information on the quality of VGI data poses a challenge in the future. This provides many opportunities for further research on a methodology to obtain information on the quality of VGI data as well as the ability to provide a summary of the many incoming details [5],[11],[12].

The design of the Geographical Information System for Mapping of Targeted Social Assistance Recipients in Sulangai Village was successfully carried out. The plan was carried out using the Waterfall method, MySQL database, Laravel Framework, and Bootstrap. The features contained in this system are Mapping of Community Recipients of Social Assistance, Submission of Social Assistance, and information to the Community, who are the people who receive Social assistance and can display the location of the houses of the people who receive social service using a GIS model (Geographical Information System). Based on system testing and user interviews, the mapping system of the beneficiary community in Sulangai Village can be expected and effective in overcoming problems. It can provide many benefits and conveniences in carrying out mapping activities and applying for assistance in Sulangai Village [3],[13],[14].

Methodology, considerations and tools, and a description of the steps to be followed to design a VGI system. This organized design methodology is practically oriented toward developing VGI projects. Align the three components: the VGI system, reducing the gap between projects, participants, and technology. The VGI system design process is triggered by problems or detects opportunities for improvement and then sets out to create an integrated design flow: from clear objectives and appropriate participatory operations, including a collaborative environment and participatory engagement strategies based on identified factor motivations and proper technical infrastructure and tools to support collaborative community-specific environments. It aims to reduce friction in the VGI workflow, from destination to final system output, thereby facilitating the design of various aspects of participation and technology [6],[15],[16].

Information quality issues in general and geographic information in particular. This problem is not solved automatically by using VGI. As one of the most successful community resources, the encyclopedia Wikipedia sometimes faces significant edits. In this case, it may happen to the land administration. The business opportunity is related to the data stored in the land administration database. So, competitors prevent some of these business opportunities by falsifying land administration data. While it is possible to correct these forgeries, delays can result in severe business losses. What does this mean for every obligation that public administration has? Should the cost of liability be downgraded to the original? Contributor? Clear solutions are needed but may impact citizens' willingness to share data. The VGI approach can be used but only to gather this type of information. Citizens can only provide information that they have. This is a general statement derived from observation or communication. So an invisible fact, for example, in ownership can only be provided by a few people, and this presents problems for social control in VGI. An approach to solving this could be comparing VGI and data from other sources, such as public registers. However, it may be problematic to deal with contradictions between public records and VGI as both sources may be incorrect [7],[17],[18],[21],[22].

The proposed local Spatial Data Infrastructure (SDI) model develops from perceptions of the organization, technology, production, and interoperability. The analysis and evaluation of SDI implementation in the city of Depok on the SDI components in the city of Depok form the basis of the criteria utilized in the proposed model. The Local SDI model that connects agencies using spatial data in the city of Depok, the government, and institutions can be connected to the juridical level above it. The results of the implementation show that The model is implementable. The analysis and evaluation of SDI implementation in the city of Depok on the SDI components in the city of Depok form the basis of the criteria utilized in the proposed model. in the case study area of the Depok City Government to share data and support GIS for eGovernment applications. Due to the disparate scales being utilized and the lack of data quality assurance, there is an issue when attempting to merge the administrative boundary data owned by the City of Depok with the administrative border at the national level [4],[20],[23],[24]. State of The Art Research Chart.

3. Methods

The method of solving implementable research problems uses the System Development Life Cycle (SDLC) method with a prototype model. The following is the research methodology scheme that will be applied:




Fig 3. Research methodology

3.1. Problem Analysis and Identification

The author directly observed the Social Service and the Community users in analyzing the problem and investigating and identifying these problems, resulting in formulating research problems that would be used to develop the Volunteered Geographic Information (VGI) Infrastructure Model for the Social Assistance Program to Support eGovernment.

3.2. Setting Prototype Goals

At this stage, the author and the user plan to create a prototype related to the Volunteered Geographic Information (VGI) Infrastructure Model for the Social Assistance Program to Support eGovernment.

3.3. User Functional Needs Analysis

At this stage, it describes a more detailed needs analysis of the plans that have been made. For modeling, UML is used, which consists of use cases and use case scenarios. There are two stages to be made, namely the identification of actors and the identification of functional needs of the Volunteered Geographic Information (VGI) Infrastructure Model for the Social Assistance Program to Support eGovernment.

3.4. Prototype Design

In this stage, a prototype display or user interface of the Volunteered Geographic Information (VGI) Infrastructure Model for the Social Assistance Program to Support eGovernment is created. Based on the system development life cycle (SDLC) prototype model development method and based on the user's functional needs as previously determined and must be following the VGI concept as shown in the following figure:




Fig 4. General Concept of VGI System

3.4. System planning

At this stage, the concept used is object-oriented design, based on analyzing the user's functional requirements. The method includes database design and user interface design. Volunteered Geographic Information (VGI) Infrastructure Model for Social Assistance Programs to Support eGovernment.

4. Result and Discussion

4.1. Actor Identification

The users of the Volunteered Geographic Information (VGI) Infrastructure Model for Social Assistance Programs to Support eGovernment system to be built include volunteers, operators, and administrators, as in the following table:

Table 1. Actor Identification

No	Actors	Description
1.	volunteers	A person who gains access rights to the system through logging in to report social assistance recipient information.
2.	operators	A person who verifies all VGI social assistance resources.
3.	administrators	Someone who manages all VGI social assistance resources.

4.2. User Functional Needs

At this stage, it describes a more detailed needs analysis of the plans that have been made. For modeling, UML is used, which consists of use case diagrams, sequence diagrams, and class diagrams, as in the following table:

Table 2. Volunteer Functional Needs

No	Functional Needs	Description
1.	Register	The system must be able to process user registration into the system
2.	Login	The system must be able to authenticate the entered username and password to get access rights.
3.	Viewing beneficiary data and information	The system must be able to display data on the location of social assistance recipients containing the identity of the recipient and Geolocation based on the Central Aceh District Map.
4.	Report the location of the beneficiary	The system must be able to store data on the location of social assistance recipients containing the identity of the recipient and Geolocation based on the Central Aceh District Map.
5.	Adding a comment	The system must be able to store user comments on data and information on social assistance recipients based on the recipient's location point.
6.	Add another photo	The system must be able to store photos uploaded by the user against the data and information of social assistance recipients based on the recipient's location point.
7.	Logout	The system must be able to log the user out of the system and return to the login page.

Table 3. Operator Functional Needs

No.	Functional Needs	Description
1.	Register	The system must be able to process Operator registration into the system
2.	Login	The system must be able to authenticate the entered username and password to get access rights.
3.	Viewing beneficiary data and information	The system must be able to display data on the location of social assistance recipients containing the identity of the recipient and Geolocation based on the Central Aceh District Map.
4.	Verifying beneficiary data and information	The system must be able to store the results of verifying the correctness of the social assistance recipient data.
5.	Adding a comment	The system must be able to store Operator verification comments on social assistance recipient data and information based on the recipient's location point.
6.	Add another photo	The system must be able to store verification photos uploaded by the Operator against the data and information of social assistance recipients based on the recipient's location point.
7.	Logout	The system must be able to log the Operator out of the system and return to the login page.

Table 4. Administrator Functional Needs

No.	Functional Needs	Description
1.	Register	The system must be able to process Administrator registration into the system
2.	Login	The system must be able to authenticate the entered username and password to get access rights.
3.	Viewing beneficiary data and information	The system must be able to display data on the location of social assistance recipients containing the recipient's identity and Geolocation based on the Central Aceh District Map.
4.	Recap the report on the results of data verification and beneficiary Information	The system must be able to recap and display reports on the results of verifying social assistance recipient data correctness.
5.	Adding a comment	The system must be able to store Administrator comments on the data and information of social assistance recipients based on the recipient's location point.
6.	Add another photo	The system must be able to save the photos uploaded by the Administrator against the data and information of social assistance recipients based on the recipient's location point.
7.	Logout	The system must be able to log the Administrator out of the system and return to the login page.

In this case, the user is divided into 3 (three) levels, namely level 1 for administrators, level 2 for operators, and level 3 for users (volunteers).

4.3. Use Case Diagram

To describe the actors involved in the system and the functions that run in the design, a particular diagram is needed, namely, using a use case diagram.




Fig 5. Use Case Diagram of Infrastructure Model VGI Social Assistance Program

4.4. Sequence Diagram

Sequence diagrams describe scenarios or interactions between objects in the VGI social assistance system so that specific outputs are produced.




Fig 6. Sequence diagrams of Infrastructure Model VGI Social Assistance Program

4.5. Class Diagram

Showing the VGI structure of social assistance also increases understanding of a program's general picture or scheme.




Fig 7. Class diagrams of Infrastructure Model VGI Social Assistance Program

4.6. System Implementation

The user interface implementation contains the results of the display of the system implementation stage that has been carried out. The appearance of the VGI Social Assistance system is depicted in Figures 8 to 12.




Fig 8. Volunteers interface to report the location of the beneficiary

The interface page for volunteers above uses the Android mobile-based VGI Social Assistance application already installed on each volunteer's mobile phone. Where the form of data collection carried out by volunteers must be directed at the beneficiary's location and add a photo from the beneficiary's house so that the place coordinated data can be accounted for.




Fig 9. Main page interface of Infrastructure Model VGI Social Assistance Program System

This system's main page results from a web-based VGI Social Assistance application that user operators and administrators can open. The beneficiary data on the map results from collecting data on volunteers.

No	Penerima	Lokasi	Tipe	Informasi	Waktu Laporan	Photo	Status	Detail
1	RAMSIAH- Relawan : YOLANDA	ASIR ASIR, KEC.LUT TAWAR, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Belum diVerifikasi	
2	ASIAH- Relawan : ARWIN PUTRA	ASIR ASIR, KEC.LUT TAWAR, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Terverifikasi 23 September 2022 05:22:39	
3	HAMISAH- Relawan : YULIA	ASIR ASIR, KEC.LUT TAWAR, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Terverifikasi 23 September 2022 05:22:41	

Fig 10. Operator's Interface to verifying beneficiary data and information

Then after the Operator enters the web-based system, the Operator can verify the correctness of the data entered by the volunteer. If the beneficiary's data is correct and valid, the Operator will verify the data and add photo evidence and comments related to the beneficiary's data.

No	Penerima	Lokasi	Tipe	Informasi	Waktu Laporan	Photo	Status
1	SRI MAHJUJI- Relawan : YULIA PUTRIANA	GUNUNG BALOHEN, KEC.KEBAYAKAN, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	21 September 2022 18:17:04		Belum diVerifikasi
2	MASMINAR- Relawan : YULIA	GUNUNG BALOHEN, KEC.KEBAYAKAN, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	21 September 2022 17:40:31		Belum diVerifikasi
3	ROSDIANA- Relawan : ARWIN PUTRA	GUNUNG BALOHEN, KEC.KEBAYAKAN, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Belum diVerifikasi
4	ASIAH- Relawan : YOLANDA	GUNUNG BALOHEN, KEC.KEBAYAKAN, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Belum diVerifikasi

Fig 11. Administrator Interface to recap the report on the results of data verification and beneficiary information (not verified)

After the Operator has verified the beneficiary data, the Administrator can record verified data (Fig. 11) and unverified data (Fig. 12). As for data that the Operator has not confirmed, the Administrator can instruct the Operator to check the correctness of the data.

No	Penerima	Lokasi	Tipe	Informasi	Waktu Laporan	Photo	Status
1	HAMISAH- Relawan : YULIA	ASIR ASIR, KEC.LUT TAWAR, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Terverifikasi 23 September 2022 05:22:41
2	ASIAH- Relawan : ARWIN PUTRA	ASIR ASIR, KEC.LUT TAWAR, KAB.ACEH TENGAH, ACEH	PKH	LAYAK	18 September 2022 02:34:13		Terverifikasi 23 September 2022 05:22:39

Showing 1 to 25 of 66 entries (filtered from 68 total entries)

Previous 1 2 3 Next

Fig 12. Administrator Interface to recap the report on the results of data verification and beneficiary information (verified)

Administrators can also print reports related to verified and unverified beneficiary data via the print menu on the system




Fig 13. Main page interface of Infrastructure Model VGI Social Assistance Program System

The interface page above is for people who want to know the validity of the beneficiary data recorded by volunteers. Suppose there is data on recipients of assistance deemed by the Community to be inappropriate. In that case, the Community can report it by becoming a volunteer first through registration to the system as a volunteer. Then download the android application provided by the authorities for social assistance.

4.7. System Test

Black box testing is software testing in terms of functional specifications without testing design. The code program determines whether the software's functions, input, and output are according to what is needed. In this system, black box testing can be seen as follows:

Table 5. Black-box testing of the VGI Social Assistance system

No	Test Case	Test Step	Results	Status
1.	Register	The user fills out the registration form through the register menu.	The user has successfully registered, and the system can save the registration data.	succeed
2.	Login	Fill in the username and password, and click login.	The user enters the system. If it is wrong, then an error notification appears.	succeed
3.	Viewing beneficiary data and information	The user selects the beneficiary menu.	The system is capable of displaying beneficiary data.	succeed
4.	Report the location of the beneficiary	The user opens the beneficiary menu and fills in the information related to the beneficiary.	The system can save beneficiary data and display it on a map.	succeed
5.	Verifying beneficiary data and information	The user opens the beneficiary menu and verifies the beneficiary data.	The system can update the status of the beneficiary data.	succeed
6.	Recap the report on the results of data verification and beneficiary Information	The user selects the report menu.	The system can display a table of verified and unverified beneficiary data recapitulation.	succeed
7.	Adding a comment	The user selects one of the beneficiaries and then fills in the comments.	The system can save comments on beneficiary data.	succeed
8.	Add another photo	The user selects one of the beneficiaries and then adds a photo.	The system is capable of storing pictures associated with the beneficiary data.	succeed
9.	Logout	The user selects the exit button on the system.	The user exits the system and returns to the login interface.	succeed

5. Conclusion

The study's findings are a web-based VGI Social Assistance system model and, for volunteers, the Android-based VGI Social Assistance application. The two systems can run following the objectives of the research that has been carried out, namely in recording the location of recipients of assistance by volunteers through the Android-based VGI Social Assistance application and Geolocation so that the accuracy of the site of the beneficiary data is very valid. Then the Operator can verify the beneficiary data that the volunteer has input through the web-based VGI Social Assistance application. Also, the Administrator can recap the verified and unverified data.

References

- [1] Peraturan Menteri Sosial Nomor 1 Tahun 2019, BN.2019/NO.75, jdih.kemensos.go.id: 18 hlm.
- [2] Chairuddin, N. S. (2021). Dukungan Sistem Informasi Geografis untuk Pendataan Bantuan Sosial. Seminar Nasional: Inovasi & Adopsi Teknologi 2021.
- [3] I Putu Hendrajaya, I. G. (2020). Sistem Informasi Geografis Pemetaan Masyarakat Penerima Bantuan Sosial Tepat Sasaran Pada Desa Sulangai Berbasis Web. *Jurnal Teknologi Informasi dan Komputer*.
- [4] Saputra, R. M. (2013). Local Spatial Data Infrastructure Model At Local Level To Support Local E-Government GIS: Case Study Of Depok City, Indonesia. *Proceeding, 34th Asian Conference on Remote Sensing*.
- [5] Melati. (2020). Peran Sistem Volunteered Geographic Information (VGI) Sistem Dalam Pengurangan Risiko Bencana: Konsep Dan Implementasi. *Jurnal Alami*.
- [6] José-Pablo Gómez-Barrón, M.-Á. M.-C. (2016). Project and Participation Guidelines for Volunteered Geographic Information System Design. *International Journal of Geo-Information*.
- [7] G. Navratil, A. F. (2013). Vig For Land Administration – A Quality Perspective. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*.
- [8] A study of volunteered geographic information (VGI) assessment methods for flood hazard mapping: A review
- [9] Apostolopoulos, K., & Potsiou, C. (2022). Consider how to introduce gamification tools to enhance citizen engagement in crowdsourced cadastral surveys. *Survey Review*, 54(383), 142-152.
- [10] Ahmad, M., Khayal, M. S. H., & Tahir, A. (2022). Analysis of Factors Affecting Adoption of Volunteered Geographic Information in the Context of National Spatial Data Infrastructure. *ISPRS International Journal of Geo-Information*, 11(2), 120.
- [11] Brovelli, M. A., Minghini, M., & Zamboni, G. (2016). Public participation in GIS via mobile applications. *ISPRS Journal of Photogrammetry and Remote Sensing*, 114, 306-315.
- [12] Guerrero, P., Møller, M. S., Olafsson, A. S., & Snizek, B. (2016). Revealing cultural ecosystem services through Instagram images: The potential of social media volunteered geographic information for urban green infrastructure planning and governance. *Urban Planning*, 1(2), 1-17.
- [13] Güiiza, F., & Stuart, N. (2018). When citizens choose not to participate in volunteering geographic Information to e-governance: a case study from Mexico. *GeoJournal*, 83(5), 1151-1167.
- [14] Hopf, K. (2018). Mining volunteered geographic information for predictive energy data analytics. *Energy Informatics*, 1(1), 1-21.
- [15] Khan, Z. T., & Johnson, P. A. (2020). Citizen and government co-production of data: Analyzing the challenges to government adoption of VGI. *The Canadian Geographer/Le Géographe canadien*, 64(3), 374-387
- [16] Moreri, K., Fairbairn, D., & James, P. (2018). Issues in developing a fit-for-purpose system for incorporating VGI in land administration in Botswana. *Land Use Policy*, 77, 402-411.
- [17] Moreri, K. K. (2020). Using Kappa methodology to consider volunteered geographic information in official land administration systems in developing countries. *Spatial Information Research*, 28(3), 299-311.
- [18] Mahajan, V., Kuehnel, N., Intzevidou, A., Cantelmo, G., Moeckel, R., & Antoniou, C. (2021). Data to the people: a review of public and proprietary data for transport models. *Transport Reviews*, 1-26.
- [19] Naghavi, M., Alesheikh, A. A., Hakimpour, F., Vahidnia, M. H., & Vafaeinejad, A. (2022). VGI-based spatial data infrastructure for land administration. *Land Use Policy*, 114, 105969.
- [20] Olszewski, R., & Wendland, A. (2021). Digital Agora—Knowledge acquisition from spatial databases, geoinformation society VGI and social media data. *Land Use Policy*, 109, 105614.
- [21] Poorazizi, M. E., Hunter, A. J., & Steiniger, S. (2015). A volunteered geographic information framework to enable bottom-up disaster management platforms. *ISPRS International Journal of Geo-Information*, 4(3), 1389-1422.
- [22] Siriba, D. N., & Dalyot, S. (2017). Adoption of volunteered geographic Information into the formal land administration system in Kenya. *Land Use Policy*, 63, 279-287.
- [23] Sadeghi-Niaraki, A., Jelokhani-Niaraki, M., & Choi, S. M. (2020). A volunteered geographic information-based environmental decision support system for waste management and decision making. *Sustainability*, 12(15), 6012.
- [24] Yudono, A. (2017, June). Towards democracy in spatial planning through spatial information built by communities: The investigation of spatial information made by citizens from participatory mapping to volunteered geographic Information in Indonesia. *IOP Conference Series: Earth and Environmental Science (Vol. 70, No. 1, p. 012002)*. IOP Publishing.